

| | BOTTLE VOLUME | | | |
|--------------------------|---------------|-------|------------|-------------|
| mg/ml | 30ml | 60ml | 100ml | 120ml |
| Nicotine (Free Base) | | | | |
| 1.5 | Y | G | B | B |
| 3 | G | B | R | P |
| 6 | B | P | BR | BL |
| 9 | R | BR | B BL | P BL |
| 12 | P | BL | BR BL | O |
| 18 | BR | P BL | P O | BL O |
| 24 | BL | O | BL O | O O |
| Buffered Nicotine (Salt) | | | | |
| 25 | P | GY | P GY | GY GY |
| 50 | GY | GY GY | P GY GY GY | GY GY GY GY |

Y YELLOW
TUBE
45mg

G GREEN
TUBE
90mg

B BLUE
TUBE
180mg

R RED
TUBE
270mg

P PURPLE
TUBE
360mg

BR BROWN
TUBE
540mg

BL BLACK
TUBE
720mg

O ORANGE
TUBE
1440mg

ACTUAL MG PER ML HAS BEEN ROUNDED UP OR DOWN TO THE NEAREST AVAILABLE TUBE STRENGTH. SOME STRENGTHS WILL REQUIRE A COMBINATION OF MORE THAN ONE TUBE.

P PINK
SALT TUBE
750mg

GY GREY
SALT TUBE
1500mg

**** DO NOT USE A VOLUME LESS THAN 15ML.**
These nicotine levels are approximate and are to be used as reference only. The actual nicotine level will depend on the actual starting e-juice volume.

“WARNING: This product contains nicotine. Nicotine is an addictive chemical.”



CONCENTRATED NICOTINE ADJUSTMENT CHART

Product Intended for Further Manufacturing

1. Open the eLiquid container by removing the cap (and/or stopper).
2. Remove enough eliquid from the container to allow for the Czar nicotine tube(s). 4.0ml per grey tube and 2.0ml per tube for all other color tubes. (see matrix).
3. Open the sealed tube with a scissors, and squeeze the content of the tube into the open eLiquid container.
4. IMMEDIATELY DISCARD EMPTY TUBE. Wash your hands and rinse any device used to open tube with copious amounts of water.
 - a. **DO NOT LEAVE THE EMPTY TUBE IN AN AREA THAT CHILDREN OR ANIMALS CAN ACCESS!**
5. Replace the cap to the e-juice container and shake the mixture of e-juice/nicotine for at least 30 seconds.
 - a. If the original e-juice was packaged with a dropper tip and stopper, squeeze the stopper to express any of the liquid inside of the glass dropper.
 - b. Repeat this twice and shake the container for an additional 30 seconds.
6. If there is room in the eLiquid container, transfer the juice from step 4 into the container and shake for 30 seconds.
 - a. Be careful not to overfill the bottle.
7. Wash hands well after adjusting eLiquid or handling the empty tube.

NOTE: Fresh Czar™ nicotine flavor can be enhanced with steeping. An increased "throat hit" will occur when the solution is left to steep at room temperature for 12 to 24 hours. Don't let the Czar™ freshness fool you, the nicotine strength (mg/ml) is immediate upon addition and will not diminish during steeping.

SAFETY WARNINGS

WARNINGS: THIS PRODUCT CONTAINS NICOTINE IN A VERY HIGH CONCENTRATION! AT THIS CONCENTRATION IT IS A HAZARDOUS POISON. DO NOT USE WITHOUT DILUTING! USE THIS AT YOUR OWN RISK.

• This is a single use product—discard all remaining content IMMEDIATELY after it is opened.

• **NEVER DRINK OR INGEST** either the concentrated or diluted nicotine solution.

• Always wash hands after handling the open tube or transferring the solution.

• **DO NOT** transfer the solution directly onto hands, eyes, skin or directly into mouth.

• **NEVER** attempt to inhale the concentrated solution.

• This product may contain propylene glycol or vegetable glycerin. Those with medical conditions should consult a physician before using.

FIRST AID: IF IN EYE - Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. Call poison control center or doctor for treatment advice.

IF ON SKIN OR CLOTHING - Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call poison control center or doctor for treatment advice. Have product container with you when calling a poison control center or doctor, or going for treatment.

Always store the unopened tube in a location where children and pets **CANNOT** get to this product. This product is heat and light sensitive. Store this in a cool dry place, out of direct sunlight. It will remain at optimum potency if stored below 0°C.



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov.



HOW TO EASILY CALCULATE WHAT TUBES TO USE:

$$A \times B = C$$

A = How many milliliters (ml) of eliquid.

B = Desired milligrams of nicotine per milliliter (mg/ml).

C = Total Tube strength needed

Example: You have a 60ml bottle of eLiquid with zero nicotine, you want it to be 15mg/ml. $60 \times 15 = 900$
You require tubes that equal 900, this could be 1 Black Tube (720) and 1 Blue Tube (180) Totals 900

If the result is not evenly divided by the available tubes, simply get as close as you can.

REV10172022

“WARNING: This product contains nicotine. Nicotine is an addictive chemical.”